

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




Fig. 1




Fig. 2

```

struct PROCESS_TYPES DefaultProcessTypes[ ] = {
/* Animation scripts (Server push) */
“ani”,    TY_ANIMATION,  NULL,          ProcessANI,
“cgi”,    TY_CGI,        NULL,          ProcessCGI,
/* html's */
“html”,   TY_HTML,       “text/html”,   SendFile,
/* shtml's will be server passed */
“shtml”,  TY_SHTML,      “image/html”, ProcShtml,
/* gif graphics Images */
“gif”,    TY_GIF,        “image/gif”,   SendFile,
/* jpeg graphics Images*/
“jpeg”,   TY_JPEG,       “image/jpeg”,  SendFile,
“jpg”,    TY_JPEG,       “image/jpeg”,  SendFile,
“jpe”,    TY_JPEG,       “image/jpeg”,  SendFile,
/* map Image Maps */
“map”,    TY_MAP,        NULL,          ProcessMap,
/* default is to send file */
“”,       TY_DEFAULT,    “text/html”,   SendFile,
/* Structure terminator */
NULL,     TY_ALLDONE,    NULL,          NULL};

```

---

Fig. 3

```

PORT          = 80
RULE1         = {
    TIME       = "1AM-12PM"
}
WWW.SRMC.COM  = {
    .CGI       = "PROCESSCGI"
    ROOT      = "/HOME/HONOLULU/HTML"
}
WWW.HONOLULU.NET = {
    .CGI       = ""
    ROOT      = "/HOME/HONOLULU/HTML"
}
WWW.SANJOSE.NET = {
    .CGI       = "PROCESSCGI"
    ALLOW     = {
        *.SRMC.COM
        205.138.192.*
        205.138.192.0/23
    }
    DENY      = {
        MISTERPAIN.COM
    }
}
WWPROXY.SRMC.COM = {
    MODE       = RT_SERVERPROXY
}
NS.SRMC.COM   = {
    ALLOW     = {
        192.168.0.*
        192.168.1.* = RULE1
        192.168.2.* = {
            TIME       = "1AM-12PM"
        }
        192.168.3.* = 192.168.2.*
    }
}
MJU.SRMC.COM  = {
    ALLOW     = {
        192.168.0.0.23 = RULE1
    }
    DENY     = {
        192.168.0.* = {
            TIME       = "12PM-1AM"
        }
    }
}
}

```

Fig. 4

501 (REMOTE IP OR NAME) USERNAME [DATE & TIME] 503 505 507 509 511  
 / / / / /  
 "GET ...HTTP/1.0" ERC BYTESXFRD

Fig. 5

651 (HOST) HITBY (REMOTE IP OR NAME) USERNAME [DATE & TIME]  
 "GET ...HTTP/1.0" ERC BYTESXFRD REFERRER  
 /

653

Fig. 6

